

ДОДАТОК А

Публікація за темою кваліфікаційної роботи



Co-funded by the
European Union

Міністерство освіти і науки України
Харківський національний університет радіоелектроніки
кафедра комп'ютерно-інтегрованих технологій, автоматизації та робототехніки
Харківський національний університет міського господарства
імені О.М. Бекетова
Братиславський університет економіки та менеджменту
Громадська організація «Перспектива»
Угорський університет сільського господарства та природничих наук

МАТЕРІАЛИ

I International Conference
«Sustainable smart cities and communities:
business and innovation solutions»
(Сталі розумні міста та спільноти:
бізнес та інноваційні рішення)
SSC&C2025

21 квітня 2025

[електронне видання]

Харків 2025

Рекомендовано рішенням Вченої ради
факультету Автоматики і комп'ютеризованих технологій
Харківського національного
університету радіоелектроніки
протокол № 4 від 18.04.2025

Сталі розумні міста та спільноти: бізнес та інноваційні рішення 2025: матеріали I-ої Міжнародної конференції, Харків, 21 квітня 2025.: тези доповідей / [редкол. І.Ш. Невлюдов (відповідальний редактор)]. -Харків: [електронний друк], 2025. – 68 с.

У збірник включені тези доповідей, які присвячені сучасним цифровим технологіям та автоматизації для сталого розвитку розумних міст; роботизованим системам та автономним технологіям у міському середовищі; циркулярній економіці та зеленій енергетики в автоматизованих системах; розумні транспортні системи та мобільність майбутнього; кіберфізичні системи та безпека даних у міській автоматизації; HMI та цифрові платформи для інтеграції міських послуг; автоматизація промисловості та міської інфраструктури: виклики та рішення ресурсоефективності.

Редакційна колегія: І.Ш. Невлюдов, І.В.Колупаєва, Ю.В.Ромашов В.В. Євсєєв.

Sustainable smart cities and communities: business and innovation solutions 2025: Proceedings of I st I International Conference, Kharkiv, April 21, 2025: Theses of Reports / [Ed. I.Sh. Nevlyudov (chief editor).] .- Kharkiv .: [electronic version], 2025. - 68 p.

The collection includes abstracts of reports dedicated to modern digital technologies and automation for the sustainable development of smart cities; robotic systems and autonomous technologies in the urban environment; circular economy and green energy in automated systems; smart transport systems and mobility of the future; cyber-physical systems and data security in urban automation; HMI and digital platforms for the integration of urban services; automation of industry and urban infrastructure: challenges and solutions for resource efficiency.

Editorial board: Igor Nevlyudov, Irina Kolupaieva, Yurii Romashov, Vladyslav Yevsieiev

Результати наукових досліджень, що представлені у збірнику, виконані в межах реалізації міжнародного проєкту Еразмус+ Жан Моне Модуль «Україна-ЄС: рішення циклічної економіки для розумних та сталих міст» («Ukraine-EU: Circular Economy Solutions 4 Smart and Sustainable Cities (Eco4Smart)») – #101127659)

Матеріали в збірнику друкуються мовою оригіналу в редакції авторів.

© Кафедра комп'ютерно-інтегрованих технологій, автоматизації та робототехніки (КІТАР), ХНУРЕ, 2025

<i>К.С. Редькін, Д.А. Якушкевич, Л.С. Іванов</i>	
Механізм дії ризик-орієнтованого мислення у системі управління якістю та безпеки центральних теплових пунктів	43
<i>D.A. Sukhomlinova, S.V. Sotnik</i>	
Aerial robot in urban environments	45
<i>Ruslan Faryha, Olena Chala</i>	
The automation system for the production of materials, semi-finished products and finished products in logistics production processes	48
<i>A. O. Fesenko, I. V. Kolupaieva, Yu. V. Romashov</i>	
Mathematical modelling of automation objects through parametric identification and digital twins	50
<i>Y. I. Khalimonov, S. V. Sotnik</i>	
Circular economy in automated systems	53
<i>Maksym Cherkashyn, Irina Kolupaieva, Yurii Romashov</i>	
Potentiometer sensors of an angular acceleration for research robots to benchmark smart cities applications	56
<i>A.C. Норков, І.В. Білецький</i>	
Розробка системи комп'ютерного адміністрування виробничого підприємства	59
<i>Artem Shevchenko, Irina Kolupaieva, Yurii Romashov</i>	
A generalised mathematical model of electricity consumption for electric drives in smart cities applications	62
<i>Marvii Tkalenko, Irina Kolupaieva, Yurii Romashov</i>	
Circular concepts of research robotics for small scale benchmarks in automation engineering of smart cities	65

POTENTIOMETER SENSORS OF AN ANGULAR ACCELERATION FOR RESEARCH ROBOTS TO BENCHMARK SMART CITIES APPLICATIONS

Maksym Cherkashyn, Irina Kolupaieva, Yurii Romashov

Kharkiv National University of Radio Electronics

Ukraine, 61166, Kharkiv, Nauky av., 14

E-mail: maksym.cherkashyn@nure.ua, iryna.kolupaieva@nure.ua, yurii.romashov@nure.ua

Annotation: The estimations of angular accelerations by means of the potentiometer sensors are considered in the context of the applications in small-scale research robotics prototypes for benchmarking of automation engineering's solutions to support full-scale implementations related with smart cities. It is proved, that potentiometer sensors are possible for instrumental estimations of angular accelerations, but it requires defining the first and second derivatives on the time of the measured voltage incorrect in Adamar's sense, so that it is necessary to propose the suitable regularisation approach to have reliable estimations for angular accelerations.

Key words: smart cities, automation benchmarks, angular acceleration, potentiometer's sensors.

RELEVANCE. Different robotics are involved in smart cities applications to exclude people from monotonous continuous operations and to provide the improved controls of different processes for energy and resource efficiencies to achieve sustainable prosperity and competitiveness of the EU next decades through implementations of green and digital technologies [1]. Automation engineering's solutions providing such improved controls require the suitable small-scale prototypes for reliable benchmarks, and these prototypes must be provided by the correspondent measuring systems, including to measure the angular accelerations of the rotating parts widely represented in the robotics. So, this research related with measurements of angular accelerations is relevant due to necessities in developments of suitable small-scale robotics prototypes for benchmarks of automation engineering's solutions before implementations in full-scale smart cities applications.

A benchmarking of engineering solutions for robotics is the relatively separate problem related including with the development of the suitable prototypes, as it is discussed in the research [2] for an example. The potentiometer sensors are widely discussed in scientific publications like in [3], and they are suitable to develop robotic prototypes for benchmarking of automation engineering solutions due to the accessibility and simple usages, and due to wide possibilities in simulations of digitalised products, whose are discussed in the research [4]. The purpose of this research is in developments of crucial principles for measurements of angular accelerations by means of the potentiometer sensors for applications in small-scale robotics prototypes to support benchmarking of solutions in automation engineering.

RESULTS. To measure angular accelerations, potentiometers with a circular resistive element and the rotated sliding contact are proposed to use in research robotics prototypes for benchmarking of solutions in engineering automation. Such potentiometer is indeed the variable voltage divider, providing the value of the divided voltage as the given function of the supplied voltage and the angle of the rotation of the potentiometer's shaft:

$$U = U_s K(\alpha), \quad (1)$$

where α is the rotation angle of the shaft of the potentiometer; U is the divided voltage; U_s is the voltage supplied for operating the scheme; $K(\alpha)$ is the function defining the dependence between the divided voltage and rotation angle of the shaft of potentiometer.

To measure the angular acceleration of some part of robotics, it is necessary to join this part with the shaft of the potentiometer. Suitable mechanical joints of the shaft of potentiometer with the rotating part of the robotics allow to have the relations between the corresponding angles:

$$\alpha = \alpha(\varphi), \quad (2)$$

where φ is the rotation angle of the part, whose angular acceleration must be measured by the potentiometer sensor with the divided voltage (1).

The relations (1) and (2) prove, that the variable divided voltage on the potentiometer is the composite function of the rotation angle of the considered part of robotics. The derivatives of the composite function (1), (2) have the following views:

$$\frac{dU}{dt} = U_s \frac{dK}{d\alpha} \frac{d\alpha}{d\varphi} \frac{d\varphi}{dt}, \quad \frac{d^2U}{dt^2} = U_s \left(\frac{d^2K}{d\alpha^2} \left(\frac{d\alpha}{d\varphi} \right)^2 + \frac{dK}{d\alpha} \frac{d^2\alpha}{d\varphi^2} \right) \left(\frac{d\varphi}{dt} \right)^2 + U_s \frac{dK}{d\alpha} \frac{d\alpha}{d\varphi} \frac{d^2\varphi}{dt^2}. \quad (3)$$

The measured angular acceleration of the part is the second derivative of the rotation angle:

$$\varepsilon = \frac{d^2\varphi}{dt^2}. \quad (4)$$

The first derivative of the rotation angle φ can be defined from the first relation (3), and taking into account the relation (4), it is possible to use the second relation (3) to find the angular acceleration:

$$\varepsilon = \frac{1}{U_s} \left(\frac{dK}{d\alpha} \frac{d\alpha}{d\varphi} \right)^{-1} \frac{d^2U}{dt^2} - \frac{1}{U_s} \left(\frac{dK}{d\alpha} \frac{d\alpha}{d\varphi} \right)^{-3} \left(\frac{d^2K}{d\alpha^2} \left(\frac{d\alpha}{d\varphi} \right)^2 + \frac{dK}{d\alpha} \frac{d^2\alpha}{d\varphi^2} \right) \frac{dU}{dt}. \quad (5)$$

To simplify the relation (5) it is recommended to use the linear potentiometer and the linear joints of the shaft of potentiometer with the rotating part:

$$\frac{d^2K}{d\alpha^2} = 0, \quad \frac{d^2\alpha}{d\varphi^2} = 0 \Rightarrow \varepsilon = \frac{1}{U_s} \left(\frac{dK}{d\alpha} \frac{d\alpha}{d\varphi} \right)^{-1} \frac{d^2U}{dt^2}. \quad (6)$$

The divided voltage (1) can be easily measured, but the results (5) and (6) shows that estimations of angular accelerations of the rotating part by means the joined potentiometer (1), (2) require first and second derivatives on the time of the measured voltage. At the same time, even high-quality measuring devices provide low errors to measure voltage do not allow defining the derivatives on the time for the measured voltage, because of differentiating a function is incorrect operation in Adamar's sense. Due to these circumstances, the relations (5) or (6) cannot be used directly, and it is necessary to develop the suitable regularisation procedure.

CONCLUSIONS. The potentiometer sensors are possible for instrumental estimations of angular accelerations due to the inherent opportunities in representing the estimated value through the related electrical voltage, which can be easily measured directly. At the same time, the principal difficulties in estimation of angular accelerations exist due to that it is required to define the first and second derivatives on the time of the measured voltage, so that the relation between the measured voltage and the estimated angular acceleration is incorrect in Adamar's sense, and cannot be used directly. So, to provide reliable estimations of angular accelerations by potentiometer sensors, it is necessary to propose the suitable regularisation approach, and further research is envisaged for it.

REFERENCES:

1. Leyen, U. (20124). European Commission and Directorate-General for Communication, Europe's choice – Political guidelines for the next European Commission 2024–2029. Luxembourg: Publications Office of the European Union. 31 p. <https://doi.org/10.2775/260104>
2. Hietanen, A., Latokartano, J., Foi, A., Pieters, R., Kyrki, V., Lanz, M., & Kämäräinen, J.-K. (2021). Benchmarking pose estimation for robot manipulation. *Robotics and Autonomous Systems*. Volume 143. Article ID 103810. <https://doi.org/10.1016/j.robot.2021.103810>
3. Hua, H., Wu, X., Shi, N., Zhang, J., Zhao, C., & Zhu, Z. (2024). Design and evaluation of a novel dual-channel complementary potentiometer for rotation measurement. *Measurement*. Volume 230. Article ID 114548. <https://doi.org/10.1016/j.measurement.2024.114548>

ДОДАТОК Б
Демонстраційний матеріал

Формат	Позиція.	ПОЗНАЧЕННЯ			НАЙМЕНУВАННЯ		Кільк.	Примітки	
					<u>Текстові документи</u>				
A4	1	ГЮИК.467430.038ПЗ			Пояснювальна записка		56	с.	
					<u>Інші документи</u>				
A4	2				Публікація за темою				
					кваліфікаційної роботи		5	с.	
A4	3				Демонстраційний матеріал		15	с.	