

ДОДАТОК А

Код UML тестового використання системи оцінки ризику й прийняття рішень

```

<?xml version="1.0" encoding="UTF-8"?>
  <UML:Model isSpecification="false" isAbstract="false" isLeaf="false" xmi.id="m1"
isRoot="false" name="UML Model">
    <UML:Namespace.ownedElement>
      <UML:Stereotype visibility="public" isSpecification="false" namespace="m1"
isAbstract="false" isLeaf="false" isRoot="false" xmi.id="folder" name="folder"/>
      <UML:Model visibility="public" isSpecification="false" namespace="m1"
isAbstract="false" isLeaf="false" isRoot="false" xmi.id="Logical_View" name="Logical
View">
        <UML:Namespace.ownedElement>
          <UML:Package stereotype="folder" visibility="public" isSpecification="false"
namespace="Logical_View" isAbstract="false" isLeaf="false" isRoot="false"
xmi.id="Datatypes" name="Datatypes">
            <UML:Namespace.ownedElement>
              <UML:DataType visibility="public" isSpecification="false"
namespace="Datatypes" isAbstract="false" isLeaf="false" isRoot="false"
xmi.id="u6SJybMvPyvsn" name="char"/>
              <UML:DataType visibility="public" isSpecification="false"
namespace="Datatypes" isAbstract="false" isLeaf="false" isRoot="false"
xmi.id="ufs3HUm dxhRfZ" name="int"/>
              <UML:DataType visibility="public" isSpecification="false"
namespace="Datatypes" isAbstract="false" isLeaf="false" isRoot="false"
xmi.id="ub3yyf7z4uMC2" name="float"/>
              <UML:DataType visibility="public" isSpecification="false"
namespace="Datatypes" isAbstract="false" isLeaf="false" isRoot="false"
xmi.id="usExYBWN AoL2a" name="double"/>
              <UML:DataType visibility="public" isSpecification="false"
namespace="Datatypes" isAbstract="false" isLeaf="false" isRoot="false"
xmi.id="uscx9NeGP66i5" name="bool"/>
            
```

```

    <UML:DataType          visibility="public"          isSpecification="false"
namespace="Datatypes"    isAbstract="false"          isLeaf="false"          isRoot="false"
xmi.id="uUz1IpcT8aArX" name="string"/>
    <UML:DataType          visibility="public"          isSpecification="false"
namespace="Datatypes"    isAbstract="false"          isLeaf="false"          isRoot="false"
xmi.id="uVnnkfMN2N0Gy" name="unsigned char"/>
    <UML:DataType          visibility="public"          isSpecification="false"
namespace="Datatypes"    isAbstract="false"          isLeaf="false"          isRoot="false"
xmi.id="uTVYsD0DSneLR" name="signed char"/>
    <UML:DataType          visibility="public"          isSpecification="false"
namespace="Datatypes"    isAbstract="false"          isLeaf="false"          isRoot="false"
xmi.id="uphoA7c7HpOp9" name="unsigned int"/>
    <UML:DataType          visibility="public"          isSpecification="false"
namespace="Datatypes"    isAbstract="false"          isLeaf="false"          isRoot="false"
xmi.id="u5VtiImkvHtvs" name="signed int"/>
    <UML:DataType          visibility="public"          isSpecification="false"
namespace="Datatypes"    isAbstract="false"          isLeaf="false"          isRoot="false"
xmi.id="uiApgK0yRilm3" name="short int"/>
    <UML:DataType          visibility="public"          isSpecification="false"
namespace="Datatypes"    isAbstract="false"          isLeaf="false"          isRoot="false"
xmi.id="uPXYJettCDttu" name="unsigned short int"/>
    <UML:DataType          visibility="public"          isSpecification="false"
namespace="Datatypes"    isAbstract="false"          isLeaf="false"          isRoot="false"
xmi.id="uxxrIJIE3MJ6q" name="signed short int"/>
    <UML:DataType          visibility="public"          isSpecification="false"
namespace="Datatypes"    isAbstract="false"          isLeaf="false"          isRoot="false"
xmi.id="ugQStMFe5dJ0m" name="long int"/>
    <UML:DataType          visibility="public"          isSpecification="false"
namespace="Datatypes"    isAbstract="false"          isLeaf="false"          isRoot="false"
xmi.id="ua777b9a0JuDN" name="signed long int"/>
    <UML:DataType          visibility="public"          isSpecification="false"
namespace="Datatypes"    isAbstract="false"          isLeaf="false"          isRoot="false"
xmi.id="uUZGe5sEGlmmz" name="unsigned long int"/>

```

```

    <UML:DataType visibility="public" isSpecification="false"
namespace="Datatypes" isAbstract="false" isLeaf="false" isRoot="false"
xmi.id="uHuvSPSG2ngO0" name="long double"/>
    <UML:DataType visibility="public" isSpecification="false"
namespace="Datatypes" isAbstract="false" isLeaf="false" isRoot="false"
xmi.id="uXvC2sD8m2kFW" name="wchar_t"/>
    <UML:DataType visibility="public" isSpecification="false"
namespace="Datatypes" isAbstract="false" isLeaf="false" isRoot="false"
xmi.id="uAM7mDPlqDR9e" name="Мережа інтернет"/>
    </UML:Namespace.ownedElement>
</UML:Package>
    <UML:Class visibility="public" isSpecification="false" namespace="Logical_View"
isAbstract="false" isLeaf="false" isRoot="false" xmi.id="uLVxv9kQgUwtV" name="Веб
сервер">
    <UML:Classifier.feature>
    <UML:Attribute visibility="private" isSpecification="false"
xmi.id="uY4c1CQV1ztJ9" initialValue="Ubuntu 18.04" name="ОС"/>
    <UML:Attribute visibility="public" isSpecification="false"
xmi.id="uypBkxp4fwGXg" initialValue="Apache 2.4.46" name="Веб-сервер"/>
    <UML:Attribute visibility="private" isSpecification="false"
ownerScope="classifier" xmi.id="uSv6IjvVelwDL" initialValue="0"
name="Конфіденційність"/>
    <UML:Attribute visibility="private" isSpecification="false"
ownerScope="classifier" xmi.id="uRWmEeUuDseFg" initialValue="4" name="Цілісність"/>
    <UML:Attribute visibility="private" isSpecification="false"
ownerScope="classifier" xmi.id="uK6CP9lAt83Sp" initialValue="4" name="Доступність"/>
    <UML:Operation visibility="public" isSpecification="false" isQuery="false"
isAbstract="false" isLeaf="false" isRoot="false" xmi.id="unPeQdTDWOGx"
isOverride="false" name="Виконання функцій веб-серверу" isInline="false"
isVirtual="false">
    <UML:BehavioralFeature.parameter>
    <UML:Parameter visibility="private" isSpecification="false"
xmi.id="uLWFMCUFYpA1R" type="" value="port 80" name="Отримання запитів"/>

```

```

    <UML:Parameter visibility="private" isSpecification="false" kind="out"
xmi.id="u8FFDYxAAKQNr" type="" value=" /var/www/html/page" name="Відправка
сторінки"/>
  </UML:BehavioralFeature.parameter>
</UML:Operation>
  <UML:Operation visibility="protected" isSpecification="false" isQuery="false"
isAbstract="false" isLeaf="false" isRoot="false" xmi.id="u6IBXToCsWiSp" isOverride="false"
name="Оновлення ОС" isInline="false" isVirtual="false">
  <UML:BehavioralFeature.parameter>
    <UML:Parameter visibility="private" isSpecification="false"
xmi.id="uuY8kqdm9y3vM" type="" value="http://ua.archive.ubuntu.com/ubuntu"
name="Отримання пакетів"/>
    <UML:Parameter visibility="private" isSpecification="false"
xmi.id="uuX6f50Jqw0cX" type="" value="http://ua.archive.ubuntu.com/ubuntu"
name="Оновлення ПЗ веб серверу"/>
  </UML:BehavioralFeature.parameter>
</UML:Operation>
  <UML:Operation visibility="public" isSpecification="false" isQuery="false"
isAbstract="false" isLeaf="false" isRoot="false" xmi.id="uBfz0AqA01sL6" isOverride="false"
name="Налаштування серверу" isInline="false" isVirtual="false">
  <UML:BehavioralFeature.parameter>
    <UML:Parameter visibility="private" isSpecification="false"
xmi.id="u0DvPc3xx5ZaB" type="" value="port 22" name="Отримання команд"/>
  </UML:BehavioralFeature.parameter>
</UML:Operation>
</UML:Classifier.feature>
</UML:Class>
  <UML:Class visibility="public" isSpecification="false" namespace="Logical_View"
isAbstract="false" isLeaf="false" isRoot="false" xmi.id="uFoA4mt1Q8p0N" name="PM
адміністратора">
  <UML:Classifier.feature>
    <UML:Attribute visibility="protected" isSpecification="false"
xmi.id="uhlR0HpdJd3p8" initialValue="Windows 10 build 1909" name="ОС"/>
    <UML:Attribute visibility="private" isSpecification="false"
xmi.id="uuwhnWiwCPI6I" initialValue="MS Office 2010 14.0" name="Офісне ПЗ "/>

```

```

    <UML:Attribute          visibility="protected"          isSpecification="false"
xmi.id="u875QSMTaQFtR" initialValue="PuTTY 0.74" name="Адміністративне ПЗ"/>
    <UML:Attribute          visibility="private"            isSpecification="false"
ownerScope="classifier"    xmi.id="uKixevQAgR2HZ"          initialValue="2"
name="Конфіденційність"/>
    <UML:Attribute          visibility="private"            isSpecification="false"
ownerScope="classifier" xmi.id="uB52cbUN1aXUd" initialValue="2" name="Цілісність"/>
    <UML:Attribute          visibility="private"            isSpecification="false"
ownerScope="classifier" xmi.id="uMwTG7bcm3d1R" initialValue="2" name="Доступність"/>
    <UML:Operation  visibility="private"  isSpecification="false"  isQuery="false"
isAbstract="false"  isLeaf="false"  isRoot="false"  xmi.id="uEBvwYxCyz2AU"
isOverride="false" name="Робота з документами" isInline="false" isVirtual="false">
    <UML:BehavioralFeature.parameter>
    <UML:Parameter          visibility="private"            isSpecification="false"
xmi.id="uYaIIPv7l2C0M" type="" value="" name="Створення"/>
    <UML:Parameter          visibility="private"            isSpecification="false"
xmi.id="uppbX1s00RDeE" type="" value="" name="Видалення"/>
    <UML:Parameter          visibility="private"            isSpecification="false"
xmi.id="uCduFJbEGMFvU" type="" value="" name="Модифікація"/>
    </UML:BehavioralFeature.parameter>
</UML:Operation>
    <UML:Operation  visibility="protected"  isSpecification="false"  isQuery="false"
isAbstract="false"  isLeaf="false"  isRoot="false"  xmi.id="uCVIUqKT23DWp"
isOverride="false" name="налаштування серверу" isInline="false" isVirtual="false">
    <UML:BehavioralFeature.parameter>
    <UML:Parameter          visibility="private"            isSpecification="false"
xmi.id="uApuPxSylPeNR" type="" value="port 22" name="Відправка команд"/>
    </UML:BehavioralFeature.parameter>
</UML:Operation>
</UML:Classifier.feature>
</UML:Class>
    <UML:Class  visibility="public"  isSpecification="false"  namespace="Logical_View"
isAbstract="false"  isLeaf="false"  isRoot="false"  xmi.id="uIJKNvyEEzIQS"  name="PM
керівника">
    <UML:Classifier.feature>

```

```

    <UML:Attribute          visibility="protected"          isSpecification="false"
xmi.id="ufNYaYeTFuqlyY" initialValue="Windows 10 build 1909" name="ОС"/>
    <UML:Attribute          visibility="private"          isSpecification="false"
xmi.id="uHbs3G3t3kZ1Z" initialValue="MS Office 2010 14.0" name="Офісне ПЗ"/>
    <UML:Attribute          visibility="protected"          isSpecification="false"
xmi.id="u4njI0ULjjLOV" initialValue="Google Chrome 86" name="Браузер"/>
    <UML:Attribute          visibility="private"          isSpecification="false"
xmi.id="uVUkAsAxR8ZNs" initialValue="PDF Reader 15.0" name="ПЗ для перегляду PDF
файлів"/>
    <UML:Attribute          visibility="protected"          isSpecification="false"
xmi.id="u5AE0dbg1Jph8" initialValue="ESET Endpoint 7.1" name="Антивірусне ПЗ"/>
    <UML:Attribute          visibility="private"          isSpecification="false"
ownerScope="classifier"          xmi.id="uOgFyptdksWo9"          initialValue="3"
name="Конфіденційність"/>
    <UML:Attribute          visibility="private"          isSpecification="false"
ownerScope="classifier" xmi.id="uNJ0bpLkY7gm7" initialValue="2" name="Цілісність"/>
    <UML:Attribute          visibility="private"          isSpecification="false"
ownerScope="classifier" xmi.id="uzC3Veihjq6" initialValue="1" name="Доступність"/>
    <UML:Operation visibility="private" isSpecification="false" isQuery="false"
isAbstract="false" isLeaf="false" isRoot="false" xmi.id="ueGkbnagNmymH"
isOverride="false" name="Робота з документами" isInline="false" isVirtual="false">
    <UML:BehavioralFeature.parameter>
    <UML:Parameter          visibility="private"          isSpecification="false"
xmi.id="uOBJj9w6KuOLS" type="" value="" name="Створення"/>
    <UML:Parameter          visibility="private"          isSpecification="false"
xmi.id="uk8g2NtYYB2kh" type="" value="" name="Видалення"/>
    <UML:Parameter          visibility="private"          isSpecification="false"
xmi.id="uSzgTustA3LOF" type="" value="" name="Модифікація"/>
    </UML:BehavioralFeature.parameter>
    </UML:Operation>
    <UML:Operation visibility="protected" isSpecification="false" isQuery="false"
isAbstract="false" isLeaf="false" isRoot="false" xmi.id="ut8TvSZCrXDDb" isOverride="false"
name="Робота в інтернеті" isInline="false" isVirtual="false">
    <UML:BehavioralFeature.parameter>

```

```

    <UML:Parameter visibility="private" isSpecification="false" kind="out"
xmi.id="uEkhixUwNFsUk" type="" value="" name="Відправка запитів сторінок"/>
    <UML:Parameter visibility="private" isSpecification="false"
xmi.id="ubWTDQs5yGSSL" type="" value="" name="Отримання сторінок"/>
  </UML:BehavioralFeature.parameter>
</UML:Operation>
  <UML:Operation visibility="protected" isSpecification="false" isQuery="false"
isAbstract="false" isLeaf="false" isRoot="false" xmi.id="uScRWaqZkuupp" isOverride="false"
name="Оновлення ОС " isInline="false" isVirtual="false">
    <UML:BehavioralFeature.parameter>
    <UML:Parameter visibility="private" isSpecification="false"
xmi.id="uRAmNaYWAEuTP" type="" value="" name="Отримання пакетів"/>
    </UML:BehavioralFeature.parameter>
  </UML:Operation>
  <UML:Operation visibility="private" isSpecification="false" isQuery="false"
isAbstract="false" isLeaf="false" isRoot="false" xmi.id="uIxnMEURCVB89"
isOverride="false" name="Робота з PDF файлами" isInline="false" isVirtual="false">
    <UML:BehavioralFeature.parameter>
    <UML:Parameter visibility="private" isSpecification="false"
xmi.id="uCqhBnGhGpcPA" type="" value="" name="читання"/>
    </UML:BehavioralFeature.parameter>
  </UML:Operation>
</UML:Classifier.feature>
</UML:Class>
  <UML:Class visibility="public" isSpecification="false" namespace="Logical_View"
isAbstract="false" isLeaf="false" isRoot="false" xmi.id="uqoHC2YMzylv6" name="ПЕОМ
керівника">
    <UML:Classifier.feature>
    <UML:Attribute visibility="implementation" isSpecification="false"
xmi.id="uBXXIzaoAUFst" initialValue="Intel core i3-10100F" name="ЦП"/>
    <UML:Attribute visibility="implementation" isSpecification="false"
xmi.id="uPNMKaIXx8RIg" initialValue="8 GB" name="RAM"/>
    <UML:Attribute visibility="implementation" isSpecification="false"
xmi.id="up9pVFQxmm8Y9" initialValue="1 Tb" name="HDD"/>

```

```

    <UML:Operation visibility="public" isSpecification="false" isQuery="false"
isAbstract="false" isLeaf="false" isRoot="false" xmi.id="uyvShvoZtZpAf" isOverride="false"
name="Підключення USB" isInline="false" isVirtual="false"/>
    <UML:Operation visibility="public" isSpecification="false" isQuery="false"
isAbstract="false" isLeaf="false" isRoot="false" xmi.id="ux5aktL6EC39p" isOverride="false"
name="Підключення Ethernet" isInline="false" isVirtual="false"/>
    </UML:Classifier.feature>
</UML:Class>
    <UML:Class visibility="public" isSpecification="false" namespace="Logical_View"
isAbstract="false" isLeaf="false" isRoot="false" xmi.id="uSEXjTEQb1u8a" name="ПІЕОМ
користувача"/>
    <UML:Association visibility="public" isSpecification="false"
namespace="Logical_View" xmi.id="u0rkfOHd4aQ4V" name="">
    <UML:Association.connection>
    <UML:AssociationEnd changeability="changeable" visibility="public"
isNavigable="false" isSpecification="false" xmi.id="uYSYkbVkbwePm"
type="uLVxv9kQgUwtV" name="" aggregation="none"/>
    <UML:AssociationEnd changeability="changeable" visibility="public"
isNavigable="true" isSpecification="false" xmi.id="uGOxuPugbGYK8"
type="uAM7mDPlqDR9e" name="" aggregation="none"/>
    </UML:Association.connection>
</UML:Association>
    <UML:Association visibility="public" isSpecification="false"
namespace="Logical_View" xmi.id="uC2arg9q7s2Tc" name="">
    <UML:Association.connection>
    <UML:AssociationEnd changeability="changeable" visibility="public"
isNavigable="false" isSpecification="false" xmi.id="u7FdgsjsebuHX"
type="uAM7mDPlqDR9e" name="" aggregation="none"/>
    <UML:AssociationEnd changeability="changeable" visibility="public"
isNavigable="true" isSpecification="false" xmi.id="ui57Y4EIYI8bT" type="uLVxv9kQgUwtV"
name="" aggregation="none"/>
    </UML:Association.connection>
</UML:Association>
    <UML:Association visibility="public" isSpecification="false"
namespace="Logical_View" xmi.id="u5yXC129LCx3S" name="">

```

```

    <UML:Association.connection>
      <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="false"          isSpecification="false"          xmi.id="uWzs4DJkdj4NG"
type="uIJKNvyEEzIQS" name="" aggregation="none"/>
      <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="true"          isSpecification="false"          xmi.id="uKpBxKVoggUuv"
type="uAM7mDPlqDR9e" name="" aggregation="none"/>
    </UML:Association.connection>
  </UML:Association>
  <UML:Association            visibility="public"            isSpecification="false"
namespace="Logical_View" xmi.id="uVCPrrv02s4nj" name="">
    <UML:Association.connection>
      <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="false"          isSpecification="false"          xmi.id="uHrXHK2viR7y5"
type="uAM7mDPlqDR9e" name="" aggregation="none"/>
      <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="true" isSpecification="false" xmi.id="uviCOJjXvlUxy" type="uIJKNvyEEzIQS"
name="" aggregation="none"/>
    </UML:Association.connection>
  </UML:Association>
  <UML:Association            visibility="public"            isSpecification="false"
namespace="Logical_View" xmi.id="usWHS0uSTOoW5" name="">
    <UML:Association.connection>
      <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="false"          isSpecification="false"          xmi.id="uIVXsL8zGCfaa"
type="uAM7mDPlqDR9e" name="" aggregation="none"/>
      <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="true" isSpecification="false" xmi.id="upvrbVAYXB5j2" type="uIJKNvyEEzIQS"
name="" aggregation="none"/>
    </UML:Association.connection>
  </UML:Association>
  <UML:Association            visibility="public"            isSpecification="false"
namespace="Logical_View" xmi.id="ubpjjvUBxbxYE" name="">
    <UML:Association.connection>

```

```

    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="false"      isSpecification="false"      xmi.id="u19Xv8pF28Y11"
type="uAM7mDPlqDR9e" name="" aggregation="none"/>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="true"      isSpecification="false"      xmi.id="umePy0HhNUVB3"
type="uIJKNvyEEzIQS" name="" aggregation="none"/>
    </UML:Association.connection>
</UML:Association>
    <UML:Dependency      visibility="public"      isSpecification="false"
namespace="Logical_View"      supplier="uIJKNvyEEzIQS"      xmi.id="uQyA1O5Q2tnJ1"
client="uqoHC2YMzylv6" name=""/>
    <UML:Class visibility="public" isSpecification="false" namespace="Logical_View"
isAbstract="false" isLeaf="false" isRoot="false" xmi.id="ui5hgxRekGa8j" name="ПІЕОМ
серверу">
    <UML:Classifier.feature>
    <UML:Attribute      visibility="implementation"      isSpecification="false"
xmi.id="uyIQfp1O6E5rt" initialValue="Intel Xeon E5-2620v3" name="ЦП"/>
    <UML:Attribute      visibility="implementation"      isSpecification="false"
xmi.id="uwjDb10HRfbaz" initialValue="16 GB" name="RAM"/>
    <UML:Attribute      visibility="implementation"      isSpecification="false"
xmi.id="uF6DcTSwZcXoc" initialValue="1 TB" name="HDD"/>
    <UML:Operation      visibility="public"      isSpecification="false"      isQuery="false"
isAbstract="false" isLeaf="false" isRoot="false" xmi.id="uFfTT0kbII1BW" isOverride="false"
name="Підключення Ethernet" isInline="false" isVirtual="false"/>
    </UML:Classifier.feature>
</UML:Class>
    <UML:Dependency      visibility="public"      isSpecification="false"
namespace="Logical_View"      supplier="uLVxv9kQgUwtV"      xmi.id="uJGH8F0rODOFS"
client="ui5hgxRekGa8j" name=""/>
    <UML:Class visibility="public" isSpecification="false" namespace="Logical_View"
isAbstract="false" isLeaf="false" isRoot="false" xmi.id="uUaXVZpctx0S1"
name="Комунікаційне обладнання">
    <UML:Classifier.feature>
    <UML:Attribute      visibility="public"      isSpecification="false"
xmi.id="uhjjRw8DrWoyx" initialValue="TP-Link TL-R480T" name="Маршрутизатор"/>

```

```

    <UML:Attribute          visibility="private"          isSpecification="false"
xmi.id="uJaZBWN0ZimyJ"  initialValue="PM керівника, Веб-сервер, PM адміністратора"
name="Локальна мережа що має вихід в інтернет 192.168.0.1/24"/>
    <UML:Attribute          visibility="private"          isSpecification="false"
ownerScore="classifier"      xmi.id="ubs2Nm4ZuuUXC"          initialValue="0"
name="Конфіденційність"/>
    <UML:Attribute          visibility="private"          isSpecification="false"
ownerScore="classifier" xmi.id="u7TuoGPRny0vS" initialValue="2" name="Цілісність"/>
    <UML:Attribute          visibility="private"          isSpecification="false"
ownerScore="classifier" xmi.id="uZNE62pgfr8YA" initialValue="4" name="Доступність"/>
    <UML:Operation  visibility="public"  isSpecification="false"  isQuery="false"
isAbstract="false" isLeaf="false" isRoot="false" xmi.id="utCodRFixJA0c" isOverride="false"
name="Комутація пакетів" isInline="false" isVirtual="false">
    <UML:BehavioralFeature.parameter>
    <UML:Parameter  visibility="private"  isSpecification="false"  kind="inout"
xmi.id="up80jxBZA3vM8" type="" value="" name="Комутація пакетів між локальною
мережею та мережлю Інтернет"/>
    <UML:Parameter          visibility="private"          isSpecification="false"
xmi.id="uaUPjfpjjNhZi" type="" value="" name="комутація пакетів в середенв локальної
мережі "/>
    </UML:BehavioralFeature.parameter>
</UML:Operation>
    <UML:Operation  visibility="public"  isSpecification="false"  isQuery="false"
isAbstract="false" isLeaf="false" isRoot="false" xmi.id="uCJuTFO8YHnyc" isOverride="false"
name="Прокидування порту веб серверу" isInline="false" isVirtual="false"/>
    </UML:Classifier.feature>
</UML:Class>
    <UML:Association          visibility="public"          isSpecification="false"
namespace="Logical_View" xmi.id="uVRWT7YPVIWhm" name="Запити сторінок;Пакет">
    <UML:Association.connection>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="false"          isSpecification="false"          xmi.id="uTXWO7tn6nEE6"
type="uIKNvyeEeZIQS" name="" aggregation="none"/>

```

```

        <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="true"          isSpecification="false"          xmi.id="uyDzV1waJSmRW"
type="uUaXVZpstx0S1" name="" aggregation="none"/>
    </UML:Association.connection>
</UML:Association>
    <UML:Association          visibility="public"          isSpecification="false"
namespace="Logical_View" xmi.id="uRSrSf7po6L2o" name="Веб-сторінка, відповіді на
команди; Пакет">
    <UML:Association.connection>
        <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="false"          isSpecification="false"          xmi.id="utHySKDLy2kc9"
type="uLVxv9kQgUwtV" name="" aggregation="none"/>
        <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="true" isSpecification="false" xmi.id="udIOvkiM9muTJ" type="uUaXVZpstx0S1"
name="" aggregation="none"/>
    </UML:Association.connection>
</UML:Association>
    <UML:Association          visibility="public"          isSpecification="false"
namespace="Logical_View" xmi.id="ubSXmzjA2xdMg" name="Команди налаштувань,
відповіді на команди; Пакет">
    <UML:Association.connection>
        <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="false"          isSpecification="false"          xmi.id="uXeNFUxRILsMh"
type="uFoA4mt1Q8p0N" name="" aggregation="none"/>
        <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="true" isSpecification="false" xmi.id="u1wyP4bF9Txc7" type="uUaXVZpstx0S1"
name="" aggregation="none"/>
    </UML:Association.connection>
</UML:Association>
    <UML:Association          visibility="public"          isSpecification="false"
namespace="Logical_View" xmi.id="uEB3mIOHNP5FS" name="">
    <UML:Association.connection>
        <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="false"          isSpecification="false"          xmi.id="uYTCD4UbCt09F"
type="uUaXVZpstx0S1" name="" aggregation="none"/>

```

```

        <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="true"          isSpecification="false"          xmi.id="uGBFkWTL6YmHh"
type="uAM7mDPlqDR9e" name="" aggregation="none"/>
    </UML:Association.connection>
</UML:Association>
    <UML:Association          visibility="public"          isSpecification="false"
namespace="Logical_View" xmi.id="uEObuYVEoclg5" name="">
    <UML:Association.connection>
        <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="false"          isSpecification="false"          xmi.id="uwpcWOqFI3kAn"
type="uAM7mDPlqDR9e" name="" aggregation="none"/>
    </UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="true" isSpecification="false" xmi.id="uuirvfzJ2p8Oe" type="uUaXVZpstx0S1"
name="" aggregation="none"/>
    </UML:Association.connection>
</UML:Association>
    <UML:Association          visibility="public"          isSpecification="false"
namespace="Logical_View" xmi.id="uGWA4vXKzw9iK" name="">
    <UML:Association.connection>
        <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="false" isSpecification="false" xmi.id="uc5RGX15tdh82" type="uUaXVZpstx0S1"
name="" aggregation="none"/>
    </UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="true"          isSpecification="false"          xmi.id="u8XJxnWckpwgD"
type="uLVxv9kQgUwtV" name="" aggregation="none"/>
    </UML:Association.connection>
</UML:Association>
    <UML:Association          visibility="public"          isSpecification="false"
namespace="Logical_View" xmi.id="u0vZr4ACc7BbJ" name="">
    <UML:Association.connection>
        <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="false"          isSpecification="false"          xmi.id="uzSCvYCWzQzDO"
type="uUaXVZpstx0S1" name="" aggregation="none"/>

```

```

    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="true"          isSpecification="false"          xmi.id="uEkEICAxGgDCs"
type="uLVxv9kQgUwtV" name="" aggregation="none"/>
    </UML:Association.connection>
</UML:Association>
    <UML:Association          visibility="public"          isSpecification="false"
namespace="Logical_View" xmi.id="u9fGIBKn0t6X2" name="">
    <UML:Association.connection>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="false"          isSpecification="false"          xmi.id="uAgkPUO0Oy17b"
type="uUaXVZpstx0SI" name="" aggregation="none"/>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="true"          isSpecification="false"          xmi.id="u7oG7MR9hrIIA"
type="uFoA4mt1Q8p0N" name="" aggregation="none"/>
    </UML:Association.connection>
</UML:Association>
    <UML:Association          visibility="public"          isSpecification="false"
namespace="Logical_View" xmi.id="uLiMyvv3XwQNu" name="">
    <UML:Association.connection>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="false" isSpecification="false" xmi.id="uB6RcCkJb1nKp" type="uUaXVZpstx0SI"
name="" aggregation="none"/>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="true" isSpecification="false" xmi.id="u8ilgnGLwxVl8" type="uIJKNvyEEzIQS"
name="" aggregation="none"/>
    </UML:Association.connection>
</UML:Association>
    <UML:Association          visibility="public"          isSpecification="false"
namespace="Logical_View" xmi.id="uaBN9WzNgNWyh" name="">
    <UML:Association.connection>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="false" isSpecification="false" xmi.id="uv4iqbeMuaFdR" type="uUaXVZpstx0SI"
name="" aggregation="none"/>

```

```

    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="true"          isSpecification="false"          xmi.id="uPB13YEdawThT"
type="uLVxv9kQgUwtV" name="" aggregation="none"/>
    </UML:Association.connection>
</UML:Association>
    <UML:Association          visibility="public"          isSpecification="false"
namespace="Logical_View" xmi.id="uuOFSFfKEAsxo" name="">
    <UML:Association.connection>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="false"        isSpecification="false"        xmi.id="u31ZjxJHkiqm9"
type="uAM7mDPlqDR9e" name="" aggregation="none"/>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="true"         isSpecification="false"         xmi.id="u2EhOpDOZTHNJ"
type="uUaXVZpstx0S1" name="" aggregation="none"/>
    </UML:Association.connection>
</UML:Association>
    <UML:Association          visibility="public"          isSpecification="false"
namespace="Logical_View" xmi.id="uhn5dXHVHXXKcv" name="">
    <UML:Association.connection>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="false" isSpecification="false" xmi.id="uqiU6hEX69qY5" type="uUaXVZpstx0S1"
name="" aggregation="none"/>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="true"         isSpecification="false"         xmi.id="umovvZeBTt4iL"
type="uAM7mDPlqDR9e" name="" aggregation="none"/>
    </UML:Association.connection>
</UML:Association>
    <UML:Class visibility="public" isSpecification="false" namespace="Logical_View"
isAbstract="false" isLeaf="false" isRoot="false" xmi.id="ugJSGIdd4bX2p"
name="new_class"/>
    <UML:Class visibility="public" isSpecification="false" namespace="Logical_View"
isAbstract="false" isLeaf="false" isRoot="false" xmi.id="uXdLRep5shWpF"
name="new_class_1"/>

```

```

    <UML:Class visibility="public" isSpecification="false" namespace="Logical_View"
isAbstract="false" isLeaf="false" isRoot="false" xmi.id="uzv5ZYNBcNR6T" name="ПЕОМ
адміністратора">
    <UML:Classifier.feature>
    <UML:Attribute visibility="implementation" isSpecification="false"
xmi.id="uZhor5Uv5oWev" initialValue="Intel core i3-10100F" name="ЦП"/>
    <UML:Attribute visibility="implementation" isSpecification="false"
xmi.id="uOpuM3zWAs7CB" initialValue="8 GB" name="RAM"/>
    <UML:Attribute visibility="implementation" isSpecification="false"
xmi.id="uiUSYjCYAD0aW" initialValue="1 Tb" name="HDD"/>
    <UML:Operation visibility="public" isSpecification="false" isQuery="false"
isAbstract="false" isLeaf="false" isRoot="false" xmi.id="ugMMou41vwHul" isOverride="false"
name="Підключення USB" isInline="false" isVirtual="false"/>
    <UML:Operation visibility="public" isSpecification="false" isQuery="false"
isAbstract="false" isLeaf="false" isRoot="false" xmi.id="ugNPMwxWBOLLn"
isOverride="false" name="Підключення Ethernet" isInline="false" isVirtual="false"/>
    </UML:Classifier.feature>
</UML:Class>
    <UML:Dependency visibility="public" isSpecification="false"
namespace="Logical_View" supplier="uFoA4mt1Q8p0N" xmi.id="u2K6NwKC1Dnpr"
client="uzv5ZYNBcNR6T" name=""/>
    <UML:Association visibility="public" isSpecification="false"
namespace="Logical_View" xmi.id="uB9e8Bz53nyst" name="Пакет">
    <UML:Association.connection>
    <UML:AssociationEnd changeability="changeable" visibility="public"
isNavigable="false" isSpecification="false" xmi.id="uZpp9gB8LHlIX" type="uUaXVZpStx0S1"
name="" aggregation="none"/>
    <UML:AssociationEnd changeability="changeable" visibility="public"
isNavigable="true" isSpecification="false" xmi.id="umYKUN7K1M3bG"
type="uAM7mDPlqDR9e" name="" aggregation="none"/>
    </UML:Association.connection>
</UML:Association>
    <UML:Association visibility="public" isSpecification="false"
namespace="Logical_View" xmi.id="uTnAAk27eJM6x" name="запит веб сторінки; Пакет">
    <UML:Association.connection>

```

```

    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="false"      isSpecification="false"      xmi.id="uM2GmJoEmj42T"
type="uAM7mDPlqDR9e" name="" aggregation="none"/>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="true" isSpecification="false" xmi.id="u7J6J735D3qri" type="uUaXVZpstx0SI"
name="" aggregation="none"/>
    </UML:Association.connection>
</UML:Association>
    <UML:Association      visibility="public"      isSpecification="false"
namespace="Logical_View" xmi.id="uJuFgzH4h2axm" name="">
    <UML:Association.connection>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="false" isSpecification="false" xmi.id="unf7isEibVTUp" type="uUaXVZpstx0SI"
name="" aggregation="none"/>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="true" isSpecification="false" xmi.id="uI3LwxXDLTCcI" type="uIJKNvyEEzIQS"
name="" aggregation="none"/>
    </UML:Association.connection>
</UML:Association>
    <UML:Association      visibility="public"      isSpecification="false"
namespace="Logical_View" xmi.id="ufp8vR1CfNUzu" name="запит веб сторінки, команда
налаштувань; Пакет">
    <UML:Association.connection>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="false" isSpecification="false" xmi.id="u94SBeFSkYKeo" type="uUaXVZpstx0SI"
name="" aggregation="none"/>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="true"      isSpecification="false"      xmi.id="utgOvGReQbSn5"
type="uLVxv9kQgUwtV" name="" aggregation="none"/>
    </UML:Association.connection>
</UML:Association>
    <UML:Association      visibility="public"      isSpecification="false"
namespace="Logical_View" xmi.id="uSHiod1IPON8L" name="">
    <UML:Association.connection>

```

```

    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="false"      isSpecification="false"      xmi.id="uFSciPwBGAkoh"
type="uUaXVZpstx0S1" name="" aggregation="none"/>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="true"      isSpecification="false"      xmi.id="uTLM6rdRYnkIv"
type="uFoA4mt1Q8p0N" name="" aggregation="none"/>
    </UML:Association.connection>
</UML:Association>
    <UML:Association      visibility="public"      isSpecification="false"
namespace="Logical_View" xmi.id="uLTyclqJSbTKt" name="Веб-сторінки, запити веб-
сторінок; Пакет">
    <UML:Association.connection>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="false" isSpecification="false" xmi.id="uTLjJ1WX59rfA" type="uUaXVZpstx0S1"
name="" aggregation="none"/>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="true" isSpecification="false" xmi.id="u3A7JlmulBy08" type="uIJKNvyEEzIQS"
name="" aggregation="none"/>
    </UML:Association.connection>
</UML:Association>
    <UML:Association      visibility="public"      isSpecification="false"
namespace="Logical_View" xmi.id="ujuSoUCx9PkUX" name="">
    <UML:Association.connection>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="false" isSpecification="false" xmi.id="u9ZBbEehIeQNi" type="uIJKNvyEEzIQS"
name="" aggregation="none"/>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="true" isSpecification="false" xmi.id="uIqn2IsoXNHyl" type="uUaXVZpstx0S1"
name="" aggregation="none"/>
    </UML:Association.connection>
</UML:Association>
    <UML:Association      visibility="public"      isSpecification="false"
namespace="Logical_View" xmi.id="uPh9yXeQiCGvy" name="Веб сторінки, запити веб
сторінок; Пакет">
    <UML:Association.connection>

```

```

    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="false" isSpecification="false" xmi.id="uUWsLej8STt1e" type="uIJKNvyEEzIQS"
name="" aggregation="none"/>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="true"      isSpecification="false"      xmi.id="uHOesXO2ea9DG"
type="uUaXVZpstx0S1" name="" aggregation="none"/>
    </UML:Association.connection>
</UML:Association>
    <UML:Association      visibility="public"      isSpecification="false"
namespace="Logical_View" xmi.id="uHeKhvqP5T4vR" name="">
    <UML:Association.connection>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="false"      isSpecification="false"      xmi.id="u9vy1UHxV8QWJ"
type="uUaXVZpstx0S1" name="" aggregation="none"/>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="true"      isSpecification="false"      xmi.id="uSP4ETWSIRvaO"
type="uAM7mDPlqDR9e" name="" aggregation="none"/>
    </UML:Association.connection>
</UML:Association>
    <UML:Association      visibility="public"      isSpecification="false"
namespace="Logical_View" xmi.id="uBJtCQ7uRvnQD" name="Веб-сторінка; Пакет">
    <UML:Association.connection>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="false" isSpecification="false" xmi.id="uPuITn7rMo8ze" type="uUaXVZpstx0S1"
name="" aggregation="none"/>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="true"      isSpecification="false"      xmi.id="uKKqRmdQsBnOA"
type="uAM7mDPlqDR9e" name="" aggregation="none"/>
    </UML:Association.connection>
</UML:Association>
    <UML:Association      visibility="public"      isSpecification="false"
namespace="Logical_View" xmi.id="uIC8wc2A1zxo7" name="">
    <UML:Association.connection>

```

```

    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="false"      isSpecification="false"      xmi.id="uVQ8zqe39WUeo"
type="uUaXVZpstx0S1" name="" aggregation="none"/>
    <UML:AssociationEnd      changeability="changeable"      visibility="public"
isNavigable="true" isSpecification="false" xmi.id="u6psCZOpywo98" type="uIJKNvyEEzIQS"
name="" aggregation="none"/>
    </UML:Association.connection>
</UML:Association>
</UML:Namespace.ownedElement>
<XMI.extension xmi.extender="umbrello">
<diagrams resolution="96">
    <diagram showopsig="1" linecolor="#000000" snapx="25" showattribassocs="1"
snapy="25" linewidth="0" showattsig="1" textcolor="#000000" isopen="1" showpackage="1"
showpubliconly="0" showstereotype="1" name="class diagram" font="Sans Serif,9,-
1,0,50,0,0,0,0,0" canvasheight="1204.08" canvaswidth="3819.34" localid="-1" snapcsgid="0"
showgrid="0" showops="1" griddotcolor="#f6f6f6" backgroundcolor="#ffffff" usefillcolor="1"
fillcolor="#ffffc0" zoom="95" xmi.id="uFo4xqUaBNPs1" documentation="" showscope="1"
snapgrid="0" showatts="1" type="1">
    <widgets>
        <classwidget      linecolor="#ffff00"      usesdiagramfillcolor="0"      linewidth="3"
textcolor="#000000" showoperations="1" usesdiagramusefillcolor="0" showpubliconly="0"
showpackage="1" x="320.634" showattsigs="601" showstereotype="1" y="-402.991"
showattributes="1" font="Sans Serif,9,-1,0,50,0,0,0,0,0" localid="uflNViI6onD8s"
width="1215" isinstance="0" usefillcolor="1" fillcolor="#ffffff" xmi.id="uLVxv9kQgUwtV"
autoresize="0" showscope="1" height="198" showopsigs="601"/>
        <classwidget      linecolor="#ff8000"      usesdiagramfillcolor="0"      linewidth="3"
textcolor="#000000" showoperations="1" usesdiagramusefillcolor="0" showpubliconly="0"
showpackage="1" x="-26.7813" showattsigs="601" showstereotype="1" y="-147.663"
showattributes="1" font="Sans Serif,9,-1,0,50,0,0,0,0,0" localid="uUCAvQqxEqN6A"
width="580" isinstance="0" usefillcolor="1" fillcolor="#ffffff" xmi.id="uFoA4mt1Q8p0N"
autoresize="1" showscope="1" height="198" showopsigs="601"/>
        <classwidget      linecolor="#ff8000"      usesdiagramfillcolor="0"      linewidth="3"
textcolor="#000000" showoperations="1" usesdiagramusefillcolor="0" showpubliconly="0"
showpackage="1" x="-196.81" showattsigs="601" showstereotype="1" y="-908.639"
showattributes="1" font="Sans Serif,9,-1,0,50,0,0,0,0,0" localid="uP7YX4ppQHat7"

```

```
width="654" isinstance="0" usefillcolor="1" fillcolor="#ffffff" xmi.id="uIJKNvyEEzIQS"
autoresize="1" showscope="1" height="286" showopsigs="601"/>
```

```
<classwidget linecolor="#000000" usesdiagramfillcolor="0" linewidth="3"
textcolor="#000000" showoperations="1" usesdiagramusefillcolor="0" showpubliconly="0"
showpackage="1" x="264.594" showattsigs="601" showstereotype="1" y="-567.021"
showattributes="1" font="Sans Serif,9,-1,0,50,0,0,0,0,0" localid="uRJ4yIk0E6tzP" width="251"
isinstance="0" usefillcolor="1" fillcolor="#ffffff" xmi.id="uqoHC2YMzylv6" autoresize="1"
showscope="1" height="132" showopsigs="601"/>
```

```
<datatypewidget width="175" showstereotype="1" x="-2281.71"
usesdiagramusefillcolor="0" y="-313.909" usesdiagramfillcolor="0" isinstance="0"
localid="unpeiuwR8UJLj" fillcolor="#ffffff" height="44" linecolor="#000000"
xmi.id="uAM7mDPlqDR9e" autoresize="0" textcolor="#000000" usefillcolor="1"
linewidth="3" font="Sans Serif,9,-1,0,50,0,0,0,0,0"/>
```

```
<classwidget linecolor="#000000" usesdiagramfillcolor="0" linewidth="3"
textcolor="#000000" showoperations="1" usesdiagramusefillcolor="0" showpubliconly="0"
showpackage="1" x="575.379" showattsigs="601" showstereotype="1" y="-152.867"
showattributes="1" font="Sans Serif,9,-1,0,50,0,0,0,0,0" localid="uB9Bez1LdmQu"
width="264" isinstance="0" usefillcolor="1" fillcolor="#ffffff" xmi.id="ui5hgxRekGa8j"
autoresize="1" showscope="1" height="110" showopsigs="601"/>
```

```
<classwidget linecolor="#000000" usesdiagramfillcolor="0" linewidth="3"
textcolor="#000000" showoperations="1" usesdiagramusefillcolor="0" showpubliconly="0"
showpackage="1" x="-1667.75" showattsigs="601" showstereotype="1" y="-333.592"
showattributes="1" font="Sans Serif,9,-1,0,50,0,0,0,0,0" localid="uhvxOmFJseoIG"
width="1000" isinstance="0" usefillcolor="1" fillcolor="#ffffff" xmi.id="uUaXVZpctx0SI"
autoresize="1" showscope="1" height="176" showopsigs="601"/>
```

```
<classwidget linecolor="#000000" usesdiagramfillcolor="0" linewidth="3"
textcolor="#000000" showoperations="1" usesdiagramusefillcolor="0" showpubliconly="0"
showpackage="1" x="119.312" showattsigs="601" showstereotype="1" y="119.027"
showattributes="1" font="Sans Serif,9,-1,0,50,0,0,0,0,0" localid="uEp6dan8zl8D8" width="251"
isinstance="0" usefillcolor="1" fillcolor="#ffffff" xmi.id="uzv5ZYNBcNR6T" autoresize="1"
showscope="1" height="132" showopsigs="601"/>
```

```
<floatingtext linecolor="#ff0000" usesdiagramfillcolor="1" linewidth="0"
textcolor="none" usesdiagramusefillcolor="1" x="-639.363" showstereotype="1" y="-532.058"
text="Запити сторінок;Пакет" font="Sans Serif,9,-1,0,50,0,0,0,0,0"
```

```

localid="u2FQ40rZWkt5G" pretext="" role="703" width="196" isinstance="0" posttext=""
usefillcolor="1" fillcolor="none" xmi.id="uq9vWsf5iSDwJ" autoresize="1" height="26"/>
    <floatingtext linecolor="#000000" usesdiagramfillcolor="0" linewidth="0"
textcolor="#000000" usesdiagramusefillcolor="0" x="1173.17" showstereotype="1" y="-
434.21" text="5.9 AV:L/AC:L/PR:L/UI:R/S:C/C:N/I:H/A:N" font="Sans Serif,9,-
1,0,50,0,0,0,0,0" localid="uIPzDb5cSP6eK" pretext="" role="700" width="352" isinstance="0"
posttext="" usefillcolor="1" fillcolor="#ffffc0" xmi.id="uNcPuAwdTtovm" autoresize="1"
height="26"/>
    <floatingtext linecolor="#000000" usesdiagramfillcolor="0" linewidth="0"
textcolor="#000000" usesdiagramusefillcolor="0" x="194.217" showstereotype="1" y="-
180.15" text="7.5 AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H" font="Sans Serif,9,-
1,0,50,0,0,0,0,0" localid="uCvRhR49Q2vGz" pretext="" role="700" width="358" isinstance="0"
posttext="" usefillcolor="1" fillcolor="#ffffc0" xmi.id="ubcudI67qG7Tw" autoresize="1"
height="26"/>
    <floatingtext linecolor="#000000" usesdiagramfillcolor="0" linewidth="0"
textcolor="#000000" usesdiagramusefillcolor="0" x="106.231" showstereotype="1" y="-
939.494" text="7.5 AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H" font="Sans Serif,9,-
1,0,50,0,0,0,0,0" localid="uex7gzaBSyG5K" pretext="" role="700" width="358" isinstance="0"
posttext="" usefillcolor="1" fillcolor="#ffffc0" xmi.id="ubcudI67qG7Tw" autoresize="1"
height="26"/>
</widgets>
<messages/>
<associations>
    <assocwidget indexa="1" linecolor="#000000" usesdiagramfillcolor="1"
widgetbid="uIJKNvyEEzIQS" indexb="1" linewidth="0" seqnum="" textcolor="#000000"
usesdiagramusefillcolor="1" totalcounta="2" totalcountb="2" widgetaid="uqoHC2YMzylv6"
font="Sans Serif,9,-1,0,50,0,0,0,0,0" localid="u87RzcsNY2NS8" usefillcolor="1"
fillcolor="none" xmi.id="uQyA1O5Q2tnJ1" autoresize="1" type="502">
        <linepath layout="Direct">
            <startpoint startx="264.594" starty="-567.021"/>
            <endpoint endx="264.594" endy="-622.639"/>
        </linepath>
    </assocwidget>
    <assocwidget indexa="1" linecolor="#000000" usesdiagramfillcolor="1"
widgetbid="uLVxv9kQgUwtV" indexb="1" linewidth="0" seqnum="" textcolor="#000000"

```

```

usesdiagramusefillcolor="1" totalcounta="2" totalcountb="2" widgetaid="ui5hgxRekGa8j"
font="Sans Serif,9,-1,0,50,0,0,0,0,0" localid="uLV6EPmuP2QG5" usefillcolor="1"
fillcolor="none" xmi.id="uJGH8F0rODOFS" autoresize="1" type="502">
  <linepath layout="Direct">
    <startpoint startx="620.262" starty="-152.867"/>
    <endpoint endx="620.262" endy="-204.991"/>
  </linepath>
</assocwidget>
<assocwidget indexa="1" linecolor="#000000" usesdiagramfillcolor="1"
widgetbid="uUaXVZpstx0SI" indexb="1" linewidth="0" seqnum="" textcolor="#000000"
usesdiagramusefillcolor="1" totalcounta="2" totalcountb="2" widgetaid="uLVxv9kQgUwtV"
font="Sans Serif,9,-1,0,50,0,0,0,0,0" localid="uEhPdkgr6nPvC" usefillcolor="1"
fillcolor="none" xmi.id="uRSrSf7po6L2o" autoresize="1" type="512">
  <linepath layout="Direct">
    <startpoint startx="320.634" starty="-292.673"/>
    <endpoint endx="-667.75" endy="-292.673"/>
  </linepath>
  <floatingtext linecolor="#ff0000" usesdiagramfillcolor="1" linewidth="0"
textcolor="none" usesdiagramusefillcolor="1" x="-312.028" showstereotype="1" y="-292.673"
text="Веб-сторінка, відповіді на команди; Пакет" font="Sans Serif,9,-1,0,50,0,0,0,0,0"
localid="u2ZgH5lAgJ1rh" pretext="" role="703" width="360" isinstance="0" posttext=""
usefillcolor="1" fillcolor="none" xmi.id="uvajVW8WMI2kS" autoresize="1" height="26"/>
</assocwidget>
<assocwidget indexa="1" linecolor="#000000" usesdiagramfillcolor="1"
widgetbid="uUaXVZpstx0SI" indexb="1" linewidth="0" seqnum="" textcolor="#000000"
usesdiagramusefillcolor="1" totalcounta="2" totalcountb="2" widgetaid="uFoA4mt1Q8p0N"
font="Sans Serif,9,-1,0,50,0,0,0,0,0" localid="uE6O2dkKuefJO" usefillcolor="1"
fillcolor="none" xmi.id="ubSXmzjA2xdMg" autoresize="1" type="512">
  <linepath layout="Direct">
    <startpoint startx="-26.7813" starty="-147.663"/>
    <endpoint endx="-667.75" endy="-157.592"/>
  </linepath>
  <floatingtext linecolor="#ff0000" usesdiagramfillcolor="1" linewidth="0"
textcolor="none" usesdiagramusefillcolor="1" x="-456.266" showstereotype="1" y="-152.627"
text="Команди налаштувань, відповіді на команди; Пакет" font="Sans Serif,9,-

```

```

1,0,50,0,0,0,0,0"  localid="uwdFrtYDuWZMG"  pretext=""  role="703"  width="433"
instance="0"  posttext=""  usefillcolor="1"  fillcolor="none"  xmi.id="uQqonfsnA5mwd"
autoresize="1"  height="26"/>
  </assocwidget>
  <assocwidget  indexa="1"  linecolor="#000000"  usesdiagramfillcolor="1"
widgetbid="uFoA4mt1Q8p0N"  indexb="1"  linewidth="0"  seqnum=""  textcolor="#000000"
usesdiagramusefillcolor="1"  totalcounta="2"  totalcountb="2"  widgetaid="uzv5ZYNBcNR6T"
font="Sans  Serif,9,-1,0,50,0,0,0,0,0"  localid="uRhKqGuGFoqWS"  usefillcolor="1"
fillcolor="none"  xmi.id="u2K6NwKC1Dnpr"  autoresize="1"  type="502">
  <linepath layout="Direct">
    <startpoint startx="224.421"  starty="119.027"/>
    <endpoint endx="224.421"  endy="50.337"/>
  </linepath>
</assocwidget>
  <assocwidget  indexa="1"  linecolor="#000000"  usesdiagramfillcolor="1"
widgetbid="uUaXVZpctx0SI"  indexb="1"  linewidth="0"  seqnum=""  textcolor="#000000"
usesdiagramusefillcolor="1"  totalcounta="2"  totalcountb="2"  widgetaid="uAM7mDPlqDR9e"
font="Sans  Serif,9,-1,0,50,0,0,0,0,0"  localid="u9AuAAbqEK69H"  usefillcolor="1"
fillcolor="none"  xmi.id="uTnAAk27eJM6x"  autoresize="1"  type="512">
  <linepath layout="Direct">
    <startpoint startx="-2106.71"  starty="-304.182"/>
    <endpoint endx="-1667.75"  endy="-304.182"/>
  </linepath>
  <floatingtext  linecolor="#ff0000"  usesdiagramfillcolor="1"  linewidth="0"
textcolor="none"  usesdiagramusefillcolor="1"  x="-1968.31"  showstereotype="1"  y="-332.304"
text="запит  веб  сторінки;  Пакет"  font="Sans  Serif,9,-1,0,50,0,0,0,0,0"
localid="u9aLFxUo3oIgj"  pretext=""  role="703"  width="222"  instance="0"  posttext=""
usefillcolor="1"  fillcolor="none"  xmi.id="u1IXNOdjtsIIN"  autoresize="1"  height="26"/>
  </assocwidget>
  <assocwidget  indexa="1"  linecolor="#000000"  usesdiagramfillcolor="1"
widgetbid="uLVxv9kQgUwtV"  indexb="1"  linewidth="0"  seqnum=""  textcolor="#000000"
usesdiagramusefillcolor="1"  totalcounta="2"  totalcountb="2"  widgetaid="uUaXVZpctx0SI"
font="Sans  Serif,9,-1,0,50,0,0,0,0,0"  localid="uMsdFLmTLcKBt"  usefillcolor="1"
fillcolor="none"  xmi.id="ufp8vR1CfNUzu"  autoresize="1"  type="512">
  <linepath layout="Direct">

```

```

<startpoint startx="-667.75" starty="-254.282"/>
<endpoint endx="320.634" endy="-254.282"/>
</linepath>
<floatingtext linecolor="#ff0000" usesdiagramfillcolor="1" linewidth="0"
textcolor="none" usesdiagramusefillcolor="1" x="-356.5" showstereotype="1" y="-248.613"
text="запит веб сторінки, команда налаштувань; Пакет" font="Sans Serif,9,-1,0,50,0,0,0,0"
localid="ucOi9vU6oKbZ2" pretext="" role="703" width="420" isinstance="0" posttext=""
usefillcolor="1" fillcolor="none" xmi.id="uhkIIE8jizeEc" autoresize="1" height="26"/>
</assocwidget>
<assocwidget indexa="1" linecolor="#000000" usesdiagramfillcolor="1"
widgetbid="uFoA4mt1Q8p0N" indexb="1" linewidth="0" seqnum="" textcolor="#000000"
usesdiagramusefillcolor="1" totalcounta="2" totalcountb="2" widgetaid="uUaXVZpstx0SI"
font="Sans Serif,9,-1,0,50,0,0,0,0" localid="uJ82E8MV0oKve" usefillcolor="1"
fillcolor="none" xmi.id="uSHiod11PON8L" autoresize="1" type="512">
<linepath layout="Direct">
<startpoint startx="-667.75" starty="-157.592"/>
<endpoint endx="-26.7813" endy="-147.663"/>
</linepath>
</assocwidget>
<assocwidget indexa="1" linecolor="#000000" usesdiagramfillcolor="1"
widgetbid="uUaXVZpstx0SI" indexb="1" linewidth="0" seqnum="" textcolor="#000000"
usesdiagramusefillcolor="1" totalcounta="2" totalcountb="2" widgetaid="uIJKNvyEEzIQS"
font="Sans Serif,9,-1,0,50,0,0,0,0" localid="uVFhEKNRnIgJK" usefillcolor="1"
fillcolor="none" xmi.id="uPh9yXeQiCGvy" autoresize="1" type="512">
<linepath layout="Direct">
<startpoint startx="-196.81" starty="-622.639"/>
<endpoint endx="-667.75" endy="-333.592"/>
</linepath>
<floatingtext linecolor="#000000" usesdiagramfillcolor="1" linewidth="0"
textcolor="none" usesdiagramusefillcolor="1" x="-432.28" showstereotype="1" y="-478.116"
text="Веб сторінки, запити веб сторінок; Пакет" font="Sans Serif,9,-1,0,50,0,0,0,0"
localid="u6KA1h601GPYg" pretext="" role="703" width="349" isinstance="0" posttext=""
usefillcolor="1" fillcolor="none" xmi.id="utU2dAZb7fJG7" autoresize="1" height="26"/>
</assocwidget>

```

```

    <assocwidget    indexa="1"    linecolor="#000000"    usesdiagramfillcolor="1"
widgetbid="uAM7mDPlqDR9e"    indexb="1"    linewidth="0"    seqnum=""    textcolor="#000000"
usesdiagramusefillcolor="1"    totalcounta="2"    totalcountb="2"    widgetaid="uUaXVZpstx0SI"
font="Sans    Serif,9,-1,0,50,0,0,0,0,0"    localid="uHaEdw0OvSAM6"    usefillcolor="1"
fillcolor="none"    xmi.id="uBJtCQ7uRvnQD"    autoresize="1"    type="512">
    <linepath layout="Direct">
    <startpoint startx="-1667.75"    starty="-298.231"/>
    <endpoint endx="-2106.71"    endy="-298.231"/>
    </linepath>
    <floatingtext    linecolor="#ff0000"    usesdiagramfillcolor="1"    linewidth="0"
textcolor="none"    usesdiagramusefillcolor="1"    x="-1908.05"    showstereotype="1"    y="-298.231"
text="Веб-сторінка; Пакет"    font="Sans    Serif,9,-1,0,50,0,0,0,0,0"    localid="uuVp3r0GbCHtR"
pretext=""    role="703"    width="175"    isinstance="0"    posttext=""    usefillcolor="1"    fillcolor="none"
xmi.id="uZCSOz71OXV1S"    autoresize="1"    height="26"/>
    </assocwidget>
    <assocwidget    indexa="1"    linecolor="#000000"    usesdiagramfillcolor="1"
widgetbid="uIJKNvyEEzIQS"    indexb="1"    linewidth="0"    seqnum=""    textcolor="none"
usesdiagramusefillcolor="1"    totalcounta="2"    totalcountb="2"    widgetaid="uUaXVZpstx0SI"
font="Sans    Serif,9,-1,0,50,0,0,0,0,0"    localid="uSgzMfmhk5Ym9"    usefillcolor="1"
fillcolor="none"    xmi.id="uIC8wc2A1zxo7"    autoresize="1"    type="512">
    <linepath layout="Direct">
    <startpoint startx="-667.75"    starty="-333.592"/>
    <endpoint endx="-196.81"    endy="-622.639"/>
    </linepath>
    </assocwidget>
</associations>
</diagram>
</diagrams>
</XML:extension>
</UML:Model>
<UML:Model    visibility="public"    isSpecification="false"    namespace="m1"
isAbstract="false"    isLeaf="false"    isRoot="false"    xmi.id="Use_Case_View"    name="Use Case
View">
    <UML:Namespace.ownedElement/>
</UML:Model>

```

```
<UML:Model    visibility="public"    isSpecification="false"    namespace="m1"
isAbstract="false"    isLeaf="false"    isRoot="false"    xmi.id="Component_View"
name="Component View">
  <UML:Namespace.ownedElement/>
</UML:Model>

<UML:Model    visibility="public"    isSpecification="false"    namespace="m1"
isAbstract="false"    isLeaf="false"    isRoot="false"    xmi.id="Deployment_View"
name="Deployment View">
  <UML:Namespace.ownedElement/>
</UML:Model>

<UML:Model    visibility="public"    isSpecification="false"    namespace="m1"
isAbstract="false"    isLeaf="false"    isRoot="false"    xmi.id="Entity_Relationship_Model"
name="Entity Relationship Model">
  <UML:Namespace.ownedElement/>
</UML:Model>
</UML:Namespace.ownedElement>
</UML:Model>
```

